

Digitimer DS2A Constant Voltage Stimulus Isolator

Product References

1. Abi-Gerges N, Small B, Lawrence C. Evidence for gender differences in electrophysiological properties of canine Purkinje fibres. *British journal of pharmacology*. 2004. Available at: <http://www.pubmedcentral.nih.gov/articlerender.fcgi?artid=1575188>.
2. Abi-Gerges N, Small B, Lawrence C, et al. Gender differences in the slow delayed (IKs) but not in inward (IK1) rectifier K⁺ currents of canine Purkinje fibre cardiac action potential: key roles for IKs, β -adrenoceptor stimulation, pacing rate and gender. *British journal of pharmacology*. 2006;147(6):653–660. Available at: <http://onlinelibrary.wiley.com/doi/10.1038/sj.bjp.0706491/full>.
3. Adams DJ, Smith AB, Schroeder CI, Yasuda T, Lewis RJ. Omega-conotoxin CVID inhibits a pharmacologically distinct voltage-sensitive calcium channel associated with transmitter release from preganglionic nerve terminals. *The Journal of biological chemistry*. 2003;278(6):4057–62. Available at: <http://www.ncbi.nlm.nih.gov/pubmed/12441339>.
4. Alpert M, Zhang H, Molinari M, Heitler W. Nitric oxide modulation of the electrically excitable skin of *Xenopus laevis* frog tadpoles. *Journal of Experimental Biology*. 2007. Available at: <http://jeb.biologists.org/cgi/content/abstract/210/22/3910>.
5. Armentia M de, Sah P. Bidirectional synaptic plasticity at nociceptive afferents in the rat central amygdala. *The Journal of Physiology*. 2007. Available at: <http://jp.physoc.org/cgi/content/abstract/581/3/961>.
6. Bacsı A, Colebatch J. Anodal vestibular stimulation does not suppress vestibular reflexes in human subjects. *Experimental Brain Research*. 2003. Available at: <http://www.springerlink.com/index/FK8D6196G9QJR7V2.pdf>.
7. Baptista V, Ogawa W, Aguiar J, Varanda W. Electrophysiological evidence for the presence of NR2C subunits of N-methyl-D-aspartate receptors in rat neurons of the nucleus tractus solitarius. *Brazilian Journal of Medical and Biological Research*. 2005;38:105–110. Available at: http://www.scielo.br/scielo.php?pid=S0100-879X2005000100016&script=sci_arttext&tlng=en.
8. Baptista V, Varanda W. Glycine binding site of the synaptic NMDA receptor in subpostremal NTS neurons. *Journal of neurophysiology*. 2005. Available at: <http://jn.physiology.org/cgi/content/abstract/94/1/147>.
9. Barker M, Billups B, Hamann M. Focal macromolecule delivery in neuronal tissue using simultaneous pressure ejection and local electroporation. *Journal of neuroscience methods*. 2009;177(2):273–284. Available at: <http://linkinghub.elsevier.com/retrieve/pii/S0165027008006274>.
10. Billups B, Graham B, Wong A, Forsythe ID. Unmasking group III metabotropic glutamate autoreceptor function at excitatory synapses in the rat CNS. *The Journal of Physiology*. 2005;565(3):885. Available at: <http://jp.physoc.org/content/565/3/885.full>.
11. Black M, Wotanis J, Schilp D, Hanak S. Effect of AMPA receptor modulators on hippocampal and cortical function. *European journal of pharmacology*. 2000. Available at:

<http://linkinghub.elsevier.com/retrieve/pii/S0014299900001205>.

12. Bortolotto ZA, Anderson WW, Isaac JTR, Collingridge GL. Synaptic Plasticity in the Hippocampal Slice Preparation. *Current Protocols in Neuroscience*. 2001;6.13.1-6.13.23. Available at: http://scholar.google.co.uk/scholar?start=100&q=Digitimer+DS2A&hl=en&as_sdt=2000#16.
13. Boscan P, Paton J. Excitatory convergence of periaqueductal gray and somatic afferents in the solitary tract nucleus: role for neurokinin 1 receptors. *American Journal of Physiology- Regulatory, Integrative and Comparative Physiology*. 2005;288(1):R262. Available at: <http://scholar.google.com/scholar?hl=en&btnG=Search&q=intitle:Excitatory+convergence+of+periaqueductal+gray+and+somatic+aff+erents+in+the+solitary+tract+...#0>.
14. Bridgland-Taylor M, Hargreaves A, Easter A, et al., others. Optimisation and validation of a medium-throughput electrophysiology-based hERG assay using IonWorks (TM) HT. *Journal of pharmacological and toxicological methods*. 2006;54(2):189–199. Available at: <http://linkinghub.elsevier.com/retrieve/pii/S1056871906000207>.
15. Buckby L, Jensen T, Smith P, Empson RM. Network stability through homeostatic scaling of excitatory and inhibitory synapses following inactivity in CA3 of rat organotypic hippocampal slice cultures. *Molecular and Cellular Neuroscience*. 2006;31(4):805–816. Available at: <http://linkinghub.elsevier.com/retrieve/pii/S1044743106000121>.
16. Butcher J, Kasparov S. Differential effects of apamin on neuronal excitability in the nucleus tractus solitarii of rats studied in vitro. *Journal of the autonomic nervous*. 1999. Available at: <http://linkinghub.elsevier.com/retrieve/pii/S0165183899000363>.
17. Chindo B, Anuka J, McNeil L, Yaro A. Anticonvulsant properties of saponins from *Ficus platyphylla* stem bark. *Brain Research Bulletin*. 2009. Available at: <http://linkinghub.elsevier.com/retrieve/pii/S0361923008004152>.
18. Chouhan AK, Zhang J, Zinsmaier KE, Macleod GT. Presynaptic Mitochondria in Functionally Different Motor Neurons Exhibit Similar Affinities for Ca²⁺ But Exert Little Influence as Ca²⁺ Buffers at Nerve Firing Rates In Situ. *Journal of Neuroscience*. 2010;30(5):1869. Available at: <http://neuro.cjb.net/cgi/content/abstract/30/5/1869>.
19. Circulations F. Cardiac Transplantation and Surgery for CHF. *Circulation*. Available at: http://circ.ahajournals.org/cgi/reprint/114/1_suppl/I-10.pdf.
20. Colebatch J, Rothwell J. Motor unit excitability changes mediating vestibulocollic reflexes in the sternocleidomastoid muscle. *Clinical Neurophysiology*. 2004;115(11):2567–2573. Available at: <http://linkinghub.elsevier.com/retrieve/pii/S1388245704002433>.
21. Coney A, Bishay M, Marshall J. Influence of endogenous nitric oxide on sympathetic vasoconstriction in normoxia, acute and chronic systemic hypoxia in the rat. *The Journal of Physiology*. 2004;555(3):793–804. Available at: <http://onlinelibrary.wiley.com/doi/10.1113/jphysiol.2003.058156/full>.
22. Coney A, Bishay M, Marshall J. Running Title: Nitric Oxide and Sympathetic Vasoconstriction. *Physiological Soc*. Available at: <http://jp.physoc.org/content/early/2003/12/31/jphysiol.2003.058156.full.pdf>.
23. Coney A, Marshall J. Contribution of α -2-adrenoceptors and Y1 neuropeptide Y receptors to the blunting of sympathetic vasoconstriction induced by systemic hypoxia in the rat. *The Journal of Physiology*. 2007;582(3):1349–1359. Available at:

<http://onlinelibrary.wiley.com/doi/10.1113/jphysiol.2007.132563/full>.

24. Coney A, Marshall J. Contribution of adenosine to the depression of sympathetically evoked vasoconstriction induced by systemic hypoxia in the rat. *The Journal of Physiology*. 2003;549(2):613. Available at: <http://jp.physoc.org/content/549/2/613.full>.
25. Cooper A, Stanford I. Dopamine D2 receptor mediated presynaptic inhibition of striatopallidal GABAA IPSCs in vitro. *Neuropharmacology*. 2001;41(1):62–71. Available at: <http://linkinghub.elsevier.com/retrieve/pii/S0028390801000387>.
26. Corno AF, Vergara C, Subramanian C, et al. Assisted Fontan procedure: animal and in vitro models and computational fluid dynamics study. *Interactive CardioVascular and Thoracic Surgery*. 2010;10(5):679. Available at: <http://icvts.ctsnetjournals.org/cgi/content/abstract/10/5/679>.
27. Crawford JH, Wootton JF, Seabrook GR, Scott RH. Activation of Ca²⁺-dependent currents in dorsal root ganglion neurons by metabotropic glutamate receptors and cyclic ADP-ribose precursors. *Journal of neurophysiology*. 1997;77(5):2573–84. Available at: <http://www.ncbi.nlm.nih.gov/pubmed/9163377>.
28. Dallas M, Atkinson L, Milligan C, et al. Localization and function of the Kv3. 1b subunit in the rat medulla oblongata: focus on the nucleus tractus solitarii. *The Journal of Physiology*. 2005;562(3):655–672. Available at: <http://onlinelibrary.wiley.com/doi/10.1113/jphysiol.2004.073338/full>.
29. Deuchars SA, Brooke R, Deuchars J. Adenosine A1 receptors reduce release from excitatory but not inhibitory synaptic inputs onto lateral horn neurons. *Journal of Neuroscience*. 2001;21(16):6308. Available at: <http://www.jneurosci.org/cgi/content/abstract/21/16/6308>.
30. Dodson P, Billups B, Rusznák Z, et al. Presynaptic rat Kv1. 2 channels suppress synaptic terminal hyperexcitability following action potential invasion. *The Journal of physiology*. 2003;550(1):27. Available at: <http://jp.physoc.org/content/550/1/27.full>.
31. Edwards I, Dallas M, Poole S, et al. The neurochemically diverse intermedius nucleus of the medulla as a source of excitatory and inhibitory synaptic input to the nucleus tractus solitarii. *Journal of Neuroscience*. 2007;27(31):8324. Available at: <http://neuro.cjb.net/cgi/content/abstract/27/31/8324>.
32. Empson R, Buckby L, Kraus M, et al. The cell adhesion molecule neuroligin-1 inhibits hippocampal long-term potentiation via a mitogen-activated protein kinase p38-dependent reduction in surface expression of GluR1-containing glutamate receptors. *Journal of neurochemistry*. 2006;99(3):850–860. Available at: <http://onlinelibrary.wiley.com/doi/10.1111/j.1471-4159.2006.04123.x/full>.
33. Fujiwara T, Matsuda K, Kubo T, et al. Axonal supercharging technique using reverse end-to-side neurorrhaphy in peripheral nerve repair: an experimental study in the rat model. *Journal of Neurosurgery: Pediatrics*. 2007;107(4). Available at: <http://thejns.org/doi/pdf/10.3171/JNS-07/10/0821>.
34. Garcia MC, Hernández A, Sánchez J. Role of mitochondrial ATP-sensitive potassium channels on fatigue in mouse muscle fibers. *Biochemical and biophysical research communications*. 2009;385(1):28–32. Available at: <http://linkinghub.elsevier.com/retrieve/pii/S0006291X09009139>.
35. Hausteiner MD, Read DJ, Steinert JR, et al. Acute hyperbilirubinaemia induces presynaptic neurodegeneration at a central glutamatergic synapse. *The Journal of Physiology*. 2010;588(23):4683. Available at: <http://jp.physoc.org/content/588/23/4683.full>.

36. Hayward L, Castellanos M. Increased c-Fos expression in select lateral parabrachial subnuclei following chemical versus electrical stimulation of the dorsal periaqueductal gray in rats. *Brain research*. 2003;974(1-2):153–166. Available at: <http://linkinghub.elsevier.com/retrieve/pii/S0006899303025733>.
37. Hayward L, Castellanos M, Davenport P. Parabrachial neurons mediate dorsal periaqueductal gray evoked respiratory responses in the rat. *Journal of Applied Physiology*. 2004;96(3):1146. Available at: <http://scholar.google.com/scholar?hl=en&btnG=Search&q=intitle:Parabrachial+neurons+mediate+dorsal+periaqueductal+gray+evoked+respiratory+responses+in+...#0>.
38. Hayward L, Swartz C, Davenport P. Respiratory response to activation or disinhibition of the dorsal periaqueductal gray in rats. *Journal of Applied Physiology*. 2003. Available at: <http://jap.physiology.org/cgi/content/abstract/94/3/913>.
39. Hennig M, Postlethwaite M, Forsythe I, Graham BP. Interactions between multiple sources of short-term plasticity during evoked and spontaneous activity at the rat calyx of Held. *The Journal of physiology*. 2008;586(13):3129–3146. Available at: <http://onlinelibrary.wiley.com/doi/10.1113/jphysiol.2008.152124/full>.
40. Hermes MLHJ, Kolaj M, Doroshenko P, Coderre E, Renaud LP. Effects of VPAC2 receptor activation on membrane excitability and GABAergic transmission in subparaventricular zone neurons targeted by suprachiasmatic nucleus. *Journal of neurophysiology*. 2009;102(3):1834. Available at: <http://scholar.google.com/scholar?hl=en&btnG=Search&q=intitle:Effects+of+VPAC2+receptor+activation+on+membrane+excitability+and+GABAergic+transmission+...#0>.
41. Hermes M, Coderre E, Buijs R, Renaud L. GABA and glutamate mediate rapid neurotransmission from suprachiasmatic nucleus to hypothalamic paraventricular nucleus in rat. *The Journal of physiology*. 1996;496(Pt 3):749. Available at: http://jp.physoc.org/content/496/Pt_3/749.short.
42. Jan DDS, Westbrook G. Detecting activity in olfactory bulb glomeruli with astrocyte recording. *Journal of Neuroscience*. 2005. Available at: <http://neuro.cjb.net/cgi/content/abstract/25/11/2917>.
43. Jeggo R, Kellett D, Wang Y, Jordan D, Ramage A. The role of central 5-HT₃ receptors in vagal reflex inputs to neurones in the nucleus tractus solitarius of anaesthetized rats. *The Journal of Physiology*. 2005;566(3):939–953. Available at: <http://onlinelibrary.wiley.com/doi/10.1113/jphysiol.2005.085845/full>.
44. Jeggo R, Wang Y, Jordan D, Ramage A. Activation of 5-HT_{1B} and 5-HT_{1D} receptors in the rat nucleus tractus solitarius: opposing action on neurones that receive an excitatory vagal C-fibre afferent input. *British journal of pharmacology*. 2007;150(8):987–995. Available at: <http://onlinelibrary.wiley.com/doi/10.1038/sj.bjp.0707169/full>.
45. Jensen T, Filoteo A, Knopfel T, Empson RM. Presynaptic plasma membrane Ca²⁺ ATPase isoform 2a regulates excitatory synaptic transmission in rat hippocampal CA3. *The Journal of physiology*. 2007;579(1):85. Available at: <http://jp.physoc.org/content/579/1/85.abstract>.
46. Johnson C, Coney A, Marshall J. Roles of norepinephrine and ATP in sympathetically evoked vasoconstriction in rat tail and hindlimb in vivo. *American Journal of Physiology- Heart and Circulatory Physiology*. 2001;281(6):H2432. Available at: <http://scholar.google.com/scholar?hl=en&btnG=Search&q=intitle:Roles+of+norepinephrine+and+ATP+in+sympathetically+evoked+vasoconstriction+in+rat+tail+and+...#0>.

47. Johnston J, Postlethwaite M, Forsythe I. The impact of synaptic conductance on action potential waveform: evoking realistic action potentials with a simulated synaptic conductance. *Journal of neuroscience methods*. 2009;183(2):158–164. Available at: <http://linkinghub.elsevier.com/retrieve/pii/S0165027009003458>.
48. Kalezic I, Bugaychenko L, Kostyukov A. Fatigue-related depression of the feline monosynaptic gastrocnemius–soleus reflex. *The Journal of Physiology*. 2004. Available at: <http://jp.physoc.org/content/556/1/283.full>.
49. Kanichay R, Silver R. Synaptic and cellular properties of the feedforward inhibitory circuit within the input layer of the cerebellar cortex. *Journal of Neuroscience*. 2008;28(36):8955. Available at: <http://www.jneurosci.org/cgi/content/abstract/28/36/8955>.
50. Khosravani H, Zhang Y. Cellular prion protein null mice display normal AMPA receptor mediated long term depression. *Prion*. 2008. Available at: <http://www.ncbi.nlm.nih.gov/pmc/articles/PMC2634516/>.
51. Khosravani H, Zhang Y, Tsutsui S, Hameed S. Prion protein attenuates excitotoxicity by inhibiting NMDA receptors. *Journal of Cell Biology*. 2008. Available at: <http://jcb.rupress.org/cgi/content/abstract/jcb.200711002>.
52. Klauke N, Smith GL, Cooper J. Stimulation of single isolated adult ventricular myocytes within a low volume using a planar microelectrode array. *Biophysical journal*. 2003;85(3):1766–74. Available at: <http://www.ncbi.nlm.nih.gov/pubmed/12944291>.
53. Kong S, Liu J, Ramage A, Wang Y. Cardiac vagal preganglionic neurones in the intermediate zone of the brainstem in anaesthetized cats. *Experimental Physiology*. 2007;92:1023–1028. Available at: <http://ep.physoc.org/cgi/content/abstract/92/6/1023>.
54. Kostyukov AI, Lytvynenko SV, Bulgakova NV, Gorkovenko AV. A diverse pattern of the spike threshold changes in feline gastrocnemius–soleus motoneurons during stretch reflex activation. *Experimental brain research*. 2010:1–12. Available at: <http://www.springerlink.com/index/P444P1552NQ821RK.pdf>.
55. Kostyukov A, Kalezic I, Serenko S, et al. Spreading of fatigue-related effects from active to inactive parts in the medial gastrocnemius muscle of the cat. *European Journal of Applied Physiology*. 2002;86(4):295–307. Available at: <http://www.springerlink.com/index/2KMLKNQ1CHJAPRQK.pdf>.
56. Kostyukov A, Bugaychenko L, Kalezic I. Effects in feline gastrocnemius-soleus motoneurons induced by muscle fatigue. *Experimental brain research*. 2005. Available at: <http://www.springerlink.com/index/4NCE92VTNK3F29E2.pdf>.
57. Kostyukov A, Lytvynenko S, Bulgakova N. Subthreshold activation of spinal motoneurons in the stretch reflex: experimental data and modeling. *Biological*. 2009. Available at: <http://www.springerlink.com/index/V24X06755015717Q.pdf>.
58. Liu Y, Lachamp P, Liu S. Glutamatergic Modulation of Cerebellar Interneuron Activity Is Mediated by an Enhancement of GABA Release and Requires Protein Kinase A/RIM1 α Signaling. *Journal of Neuroscience*. 2009;29(2):381. Available at: <http://neuro.cjb.net/cgi/content/abstract/29/2/381>.
59. Lohr C, Deitmer JW. Dendritic calcium transients in the leech giant glial cell in situ. *Glia*. 1999;26(2):109–18. Available at: <http://www.ncbi.nlm.nih.gov/pubmed/10384876>.
60. Lopez de Armentia M, Sah P. Firing properties and connectivity of neurons in the rat lateral

- central nucleus of the amygdala. *Journal of neurophysiology*. 2004;92(3):1285. Available at: <http://scholar.google.com/scholar?hl=en&btnG=Search&q=intitle:Firing+properties+and+connectivity+of+neurons+in+the+rat+latera+l+central+nucleus+of+the+...#0>.
61. Lopez de Armentia M, Sah P. Development and subunit composition of synaptic NMDA receptors in the amygdala: NR2B synapses in the adult central amygdala. *Journal of Neuroscience*. 2003;23(17):6876. Available at: <http://www.jneurosci.org/cgi/content/abstract/23/17/6876>.
62. Loucif K, Wilson C, Baig R. Functional interconnectivity between the globus pallidus and the subthalamic nucleus in the mouse brain slice. *The Journal of*. 2005. Available at: <http://jp.physoc.org/content/567/3/977.short>.
63. Matsuda K, Kakibuchi M, Fukuda K, Kubo T. End-to-side nerve grafts: experimental study in rats. *Journal of reconstructive microsurgery*. 2005. Available at: <http://www.thieme-connect.com/ejournals/abstract/jrm/doi/10.1055/s-2005-922439>.
64. Matsuda K, Kakibuchi M, Kubo T, Tomita K. A new model of end-to-side nerve graft for multiple branch reconstruction: end-to-side cross-face nerve graft in rats. *Journal of Plastic*,. 2008. Available at: <http://linkinghub.elsevier.com/retrieve/pii/S1748681508002507>.
65. Misra C, Brickley SG, Farrant M, Cull-Candy SG. Identification of subunits contributing to synaptic and extrasynaptic NMDA receptors in Golgi cells of the rat cerebellum. *The Journal of physiology*. 2000;524 Pt 1:147-62. Available at: <http://www.ncbi.nlm.nih.gov/pubmed/10747189>.
66. Mitchell SJ, Silver RA. GABA spillover from single inhibitory axons suppresses low-frequency excitatory transmission at the cerebellar glomerulus. *The Journal of neuroscience : the official journal of the Society for Neuroscience*. 2000;20(23):8651-8. Available at: <http://www.ncbi.nlm.nih.gov/pubmed/11102470>.
67. Ng A, Hicks M, Cobbe S. Depressed inotropic response to increased preload in rabbit hearts with left-ventricular dysfunction induced by chronic myocardial infarction. *Pflügers Archiv European*. 2002. Available at: <http://www.springerlink.com/index/0NLRVXCLYJ2K3HV7.pdf>.
68. Ogawa W, Baptista V, Aguiar J. Neurotensin modulates synaptic transmission in the nucleus of the solitary tract of the rat. *Neuroscience*. 2005. Available at: <http://linkinghub.elsevier.com/retrieve/pii/S0306452204007900>.
69. OLIVEIRA M, NOGUEIRA M, SILVA VG, et al. Impacto da estimulação vagal na indução e interrupção de fibrilhação auricular no modelo do coração de coelho in vivo [27]. *Rev Port Cardiol*. 2010;29(03):375–389. Available at: <http://www.spc.pt/DL/RPC/artigos/1174.pdf>.
70. Paton J. Convergence properties of solitary tract neurones driven synaptically by cardiac vagal afferents in the mouse. *The Journal of Physiology*. 1998;508(1):237. Available at: <http://jp.physoc.org/content/508/1/237.full>.
71. Paton J. Rhythmic bursting of pre-and post-inspiratory neurones during central apnoea in mature mice. *The Journal of Physiology*. 1997;502(3):623–639. Available at: <http://onlinelibrary.wiley.com/doi/10.1111/j.1469-7793.1997.623bj.x/full>.
72. Peters J, McDougall S, Kellett D. Oxytocin enhances cranial visceral afferent synaptic transmission to the solitary tract nucleus. *Journal of Neuroscience*. 2008. Available at: <http://www.jneurosci.org/cgi/content/abstract/28/45/11731>.
73. Petersson P, Holmer M, Breslin T, Granmo M. An imaging system for monitoring receptive field dynamics. *Journal of neuroscience methods*. 2001;104:123-131. Available at:

<http://linkinghub.elsevier.com/retrieve/pii/S0165027000003320>.

74. Polepalli JS, Sullivan RKP, Yanagawa Y, Sah P. A Specific Class of Interneuron Mediates Inhibitory Plasticity in the Lateral Amygdala. *Journal of Neuroscience*. 2010;30(44):14619. Available at: <http://neuro.cjb.net/cgi/content/abstract/30/44/14619>.

75. Poole S, Deuchars J, Lewis D, Deuchars S. Subdivision-specific responses of neurons in the nucleus of the tractus solitarius to activation of mu-opioid receptors in the rat. *Journal of neurophysiology*. 2007;98(5):3060. Available at: <http://scholar.google.com/scholar?hl=en&btnG=Search&q=intitle:Subdivision-specific+responses+of+neurons+in+the+nucleus+of+the+tractus+solitarius+to+activation+...#0>.

76. Poole S, Lewis D, Deuchars S. Histamine depolarizes neurons in the dorsal vagal complex. *Neuroscience Letters*. 2007. Available at: <http://linkinghub.elsevier.com/retrieve/pii/S0304394007012530>.

77. Postlethwaite M, Hennig M, Steinert J, Graham BP, Forsythe ID. Acceleration of AMPA receptor kinetics underlies temperature-dependent changes in synaptic strength at the rat calyx of Held. *The Journal of Physiology*. 2007;579(1):69. Available at: <http://jp.physoc.org/content/579/1/69.full>.

78. Power J, Sah P. Distribution of IP₃-mediated calcium responses and their role in nuclear signalling in rat basolateral amygdala neurons. *The Journal of Physiology*. 2007;580(3):835. Available at: <http://jp.physoc.org/cgi/content/abstract/580/3/835>.

79. Prosser H, Forster M, Richards A. Urotensin II and urotensin II-related peptide (URP) in cardiac ischemia-reperfusion injury. *Peptides*. 2008. Available at: <http://linkinghub.elsevier.com/retrieve/pii/S019697810700304X>.

80. Prosser H, Leprince J, Richards A, et al. Cardiovascular effects of native and non-native urotensin II and urotensin II-related peptide on rat and salmon hearts. *Peptides*. 2006;27(12):3261–3268. Available at: <http://linkinghub.elsevier.com/retrieve/pii/S0196978106004359>.

81. Ramnarine I, Capoccia M, Sutherland H, Ashley Z. Comparison between the power output of a skeletal muscle ventricle and the left ventricle in the same circulation. *Artif Organs*. 2004. Available at: <http://scholar.google.com/scholar?hl=en&btnG=Search&q=intitle:Comparison+between+the+power+output+of+a+skeletal+muscle+v+entricle+and+the+left+ventricle+in+...#3>.

82. Ramnarine I, Capoccia M, Ashley Z, et al. Counterpulsation from the skeletal muscle ventricle and the intraaortic balloon pump in the normal and failing circulations. *Circulation*. 2006;114(1_suppl). Available at: http://circ.ahajournals.org/cgi/content/abstract/114/1_suppl/I-10.

83. Razzaq A, Robinson I, McMahon H, et al. Amphiphysin is necessary for organization of the excitation–contraction coupling machinery of muscles, but not for synaptic vesicle endocytosis in *Drosophila*. *Genes & development*. 2001;15(22):2967. Available at: <http://genesdev.cshlp.org/content/15/22/2967.full>.

84. Reith C, Sillar K. Development and role of GABA_A receptor–mediated synaptic potentials during swimming in postembryonic *Xenopus laevis* tadpoles. *Journal of neurophysiology*. 1999;82:3175–3187.

85. Rogers K, Stinnakre J, Agulhon C, Jublot D. Visualization of local Ca²⁺ dynamics with genetically encoded bioluminescent reporters. *European Journal of Neuroscience*. 2005. Available at: <http://pt.wkhealth.com/pt/re/smj/fulltext.00009274-200521030-00001.pdf>.

86. Roome CJ, Empson RM. Assessment of the contribution of the plasma membrane calcium ATPase, PMCA, calcium transporter to synapse function using patch clamp electrophysiology and fast calcium imaging. *Methods in molecular biology (Clifton, NJ)*. 2010;637:343. Available at: <http://www.springerlink.com/index/VT6P62047PX63N2Q.pdf>.
87. Ruggeri P, Brunori A, Cogo C, Storace D. Enhanced sympathetic reactivity associates with insulin resistance in the young Zucker rat. ... *Journal of Physiology- Regulatory, Integrative and ...*. 2006. Available at: <http://ajpregu.physiology.org/cgi/content/abstract/291/2/R376>.
88. Sillar K, Robertson R. Thermal activation of escape swimming in post-hatching *Xenopus laevis* frog larvae. *Journal of Experimental Biology*. 2009. Available at: http://scholar.google.co.uk/scholar?start=100&q=Digitimer+DS2A&hl=en&as_sdt=2000#2.
89. Silva-Carvalho L, Paton J, Rocha I, Goldsmith G, Spyer K. Convergence properties of solitary tract neurons responsive to cardiac receptor stimulation in the anesthetized cat. *Journal of neurophysiology*. 1998;79(5):2374. Available at: <http://scholar.google.com/scholar?hl=en&btnG=Search&q=intitle:Convergence+properties+of+solitary+tract+neurons+responsive+to+cardiac+receptor+stimulation+...#0>.
90. Smith AJ, Owens S, Forsythe ID. Characterisation of inhibitory and excitatory postsynaptic currents of the rat medial superior olive. *The Journal of physiology*. 2000;529 Pt 3:681-98. Available at: <http://www.ncbi.nlm.nih.gov/pubmed/11118498>.
91. Smith P, McQueen D. Perivascular nerves induce cardiorespiratory reflexes in response to algogens in anaesthetised rats. *Neuroscience research*. 2004;50(3):271-281. Available at: <http://linkinghub.elsevier.com/retrieve/pii/S0168010204001968>.
92. Solares-Pérez A, Sánchez JA, Zentella-Dehesa A, García-MC, Coral-Vázquez RM. Intracellular Ca²⁺ transients in delta-sarcoglycan knockout mouse skeletal muscle. *Biochimica et Biophysica Acta (BBA)-General Subjects*. 2010;1800(3):373-379. Available at: <http://linkinghub.elsevier.com/retrieve/pii/S0304416509003195>.
93. Stanford I, Cooper A. Presynaptic μ and delta opioid receptor modulation of GABAA IPSCs in the rat globus pallidus in vitro. *Journal of Neuroscience*. 1999;19(12):4796. Available at: <http://neuro.cjb.net/cgi/content/abstract/19/12/4796>.
94. Stanford I, Loucif K, Wilson C, Cash D. Limitations of the Isolated GP-STN Network. *ADVANCES IN BEHAVIORAL BIOLOGY*. 2005. Available at: <http://www.springerlink.com/index/q8552v5245288g87.pdf>.
95. Steinert JR, Postlethwaite M, Jordan MD, et al. NMDAR-mediated EPSCs are maintained and accelerate in time course during maturation of mouse and rat auditory brainstem in vitro. *The Journal of Physiology*. 2010;588(3):447-463. Available at: <http://onlinelibrary.wiley.com/doi/10.1113/jphysiol.2009.184317/full>.
96. Typlt M, Haustein MD, Dietz B, et al. Presynaptic and postsynaptic origin of multicomponent extracellular waveforms at the endbulb of Held-spherical bushy cell synapse. *European Journal of Neuroscience*. 2010;31(9):1574-1581. Available at: <http://www3.interscience.wiley.com/journal/123371649/abstract>.
97. Wall M. Alterations in GABAA receptor occupancy occur during the postnatal development of rat Purkinje cell but not granule cell synapses. *Neuropharmacology*. 2005;49(5):596-609. Available at: <http://linkinghub.elsevier.com/retrieve/pii/S0028390805001619>.
98. Wall M. Actions of zinc at mature Golgi cell to granule cell synapses in cerebellum of rats and

- mice. *Neuroscience letters*. 2004. Available at:
<http://linkinghub.elsevier.com/retrieve/pii/S030439400400686X>.
99. Wall M. Competitive GABAA receptor antagonists increase the proportion of functional high-affinity [alpha] 6 subunit-containing receptors in granule cells of adult rat cerebellum. *Neuropharmacology*. 2003;44(1):56–69. Available at:
<http://linkinghub.elsevier.com/retrieve/pii/S0028390802003313>.
100. Wall M. Furosemide reveals heterogeneous GABAA receptor expression at adult rat Golgi cell to granule cell synapses. *Neuropharmacology*. 2002;43(4):737–749. Available at:
<http://linkinghub.elsevier.com/retrieve/pii/S0028390802000850>.
101. Wang LH, Bruce G, Spary E, Deuchars J, Deuchars SA. GABAB mediated regulation of sympathetic preganglionic neurons: pre- and postsynaptic sites of action. *Frontiers in Autonomic Neuroscience*. 2010;1:142. Available at:
http://www.frontiersin.org/autonomic_neuroscience/10.3389/fneur.2010.00142/full.
102. Wang L, Spary E, Deuchars J, Deuchars S. Tonic GABAergic inhibition of sympathetic preganglionic neurons: a novel substrate for sympathetic control. *Journal of Neuroscience*. 2008;28(47):12445. Available at: <http://www.jneurosci.org/cgi/content/abstract/28/47/12445>.
103. Watson SRD, Colebatch JG. Vestibulocollic reflexes evoked by short-duration galvanic stimulation in man. *Journal of Physiology*. 1998. Available at: http://scholar.google.co.uk/scholar?hl=en&q=Digitimer+DS2A&btnG=Search&as_sdt=2000&as_ylo=&as_vis=0#50.
104. Watson S, Colebatch J. EMG responses in the soleus muscles evoked by unipolar galvanic vestibular stimulation. *Electroencephalography and Clinical Neurophysiology/Electromyography and Motor Control*. 1997;105(6):476–483. Available at:
<http://linkinghub.elsevier.com/retrieve/pii/S0924980X97000441>.
105. Watson S, Fagan P, Colebatch J. Galvanic stimulation evokes short-latency EMG responses in sternocleidomastoid which are abolished by selective vestibular nerve section. *Electroencephalography and Clinical Neurophysiology* 1998;109:471–474. Available at:
<http://linkinghub.elsevier.com/retrieve/pii/S0924980X98000332>.
106. Welgampola M, Colebatch J. Vestibulospinal reflexes: quantitative effects of sensory feedback and postural task. *Experimental Brain Research*. 2001. Available at:
<http://www.springerlink.com/index/Y8AH4L8K2QFJD6F8.pdf>.
107. Welgampola M, Colebatch J. Selective effects of ageing on vestibular-dependent lower limb responses following galvanic stimulation. *Clinical Neurophysiology*. 2002;113(4):528–534. Available at: <http://linkinghub.elsevier.com/retrieve/pii/S1388245702000202>.
108. White A, Kylänpää R, Christie L, et al. Presynaptic group I metabotropic glutamate receptors modulate synaptic transmission in the rat superior colliculus via 4-AP sensitive K⁺ channels. *British journal of pharmacology*. 2003;140:1421–1433. Available at:
<http://onlinelibrary.wiley.com/doi/10.1038/sj.bjp.0705570/full>.
109. Wu J, Cheng L, Lammers W, et al. Sinus node dysfunction in ATX-II-induced in-vitro murine model of long QT3 syndrome and rescue effect of ranolazine. *Progress in biophysics and molecular biology*. 2008;98(2-3):198–207. Available at:
<http://linkinghub.elsevier.com/retrieve/pii/S0079610709000042>.
110. Yip PK, Wong LF, Sears TA, Yáñez-Muñoz RJ, McMahon SB. Cortical Overexpression of Neuronal Calcium Sensor-1 Induces Functional Plasticity in Spinal Cord Following Unilateral

Pyramidal Tract Injury in Rat. *PLoS biology*. 2010;8(6):190–205. Available at:
<http://dx.plos.org/10.1371/journal.pbio.1000399>.

Please note that some of these references have been obtained from web-based search facilities such as Google Scholar. Digitimer does not accept responsibility for any omissions or inaccuracies in these citations and we recommend that they are checked before use in subsequent published work.